

LIFE

# LIFE

33,3x33,3 - 13"x13"

Gres porcellanato colorato in massa EN 14411 Bla / Colorbody porcelain stoneware / Durghgefärbtes steinzeug  
Grès cérame coloré dans le masse / Gres porcelánico coloreado en toda la masa



**0070472** Avorio  
33,3x33,3



**0070471** Ecrú  
33,3x33,3




**0070470** Grigio  
33,3x33,3




**0070466** Vela  
33,3x33,3



**0554859** Blu  
33,3x33,3



**0554864** Nero  
33,3x33,3



**0111449** Arancio  
33,3x33,3



**0554860** Bordeaux  
33,3x33,3



**0070467** Terra  
33,3x33,3



## Imballi / Packing / Verpackungen / Emballages / Embalajes

Formato	Pezzi/Sc.	Mq/Sc	Sc/Pal	Mq/Pal	Kg/Sc	Kg/Pal
Size	Pcs/Box	Sq. M/Box	Box/Pal	Sq. M/Pal	Kg/Box	Kg/Pal
Größe	Pcs/Ctn	Mq/Ctn	Ctn/Pal	Mq/Pal	Kg/Ctn	Kg/Pal
Format	Stck/Kart	Qm/Kart	Kart/Pal	Qm/Pal	Kg/Kart	Kg/Pal
Tamaño	Piezas/Caja	Mq/Caja	Caja/Pal	Mq/Pal	Kg/Caja	Kg/Pal
33,3x33,3	13	1,45	46	66,70	27,10	1246,6
Vela/Grigio/Ecrú/Avorio 33,3x33,3	13	1,45	46	66,70	26,50	1219

# CERDISASTONE

**Gres porcellanato colorato in massa EN 14411 Bia** / Colorbody porcelain stoneware / Durhgefärbtes steinzeug  
Grès cérame coloré dans le masse / Gres porcelánico coloreado en toda la masa

Caratteristica Features Caractéristiques Eigenschaften Características	Unità di misura Unit of measurement Unité de mesure Masseinheit Unidad de medida	Valore medio Cerdisa Cerdisa mean value Valeur moyenne Cerdisa Durchschnitts-wert-Cerdisa Valor medio Cerdisa	Valore Prescritto Fixed value Valeur prescrite Vorgeschriebener wert Valor establecido	Metodo di prova Test method Méthode d'essai Prüfmethode Método de ensayo
Dimensione lati Dimensions-Lenght and width Masse-Länge und Breite Dimensions-Longueur et largeur Dimensiones-Longitud y ancho	%	Conforme Conform Gleichmässig Conforme	+/- 0,6 MAX	UNI EN ISO 10545-2
Rettilineità dei lati Side straightness Geractlinigkeit der Kanten Rectitude des arêtes Rectilinedad de los lados	%	Conforme Conform Gleichmässig Conforme	+/- 0,5 MAX	UNI EN ISO 10545-2
Ortogonalità degli spigoli Corner squaranness Rechtwinkligkeit der Kanten Angularité Ortogonalidad de las esquinas	%	Conforme Conform Gleichmässig Conforme	+/- 0,6 MAX	UNI EN ISO 10545-2
Planarità Flatness Ebenflächigkeit Planéité Planeidad	%	Conforme Conform Gleichmässig Conforme	+/- 0,5 MAX	UNI EN ISO 10545-2
Spessore Thickness Dicke Epaisseur Grosor	%	Conforme Conform Gleichmässig Conforme	+/- 5 MAX	UNI EN ISO 10545-2
Assorbimento d'acqua Water absorption Wasseraufnahme Absorption d'eau Absorción de agua	%	Conforme Conform Gleichmässig Conforme	≤ 0,5	UNI EN ISO 10545-3
Storzo di rottura Breaking strenght Bruchkraft Contrainte de rupture Esfuerzo de rotura	N	Conforme Conform Gleichmässig Conforme	≥ 1300 se sp ≥7,5 mm ≥ 700 se sp <7,5 mm	UNI EN ISO 10545-4
Modulo di rottura Modulus of rupture Bruchmodul Coefficient de rupture Módulo de rotura	N/mm <sup>2</sup>	Conforme Conform Gleichmässig Conforme	≥ 35	UNI EN ISO 10545-4
Resistenza alle macchie Stain resistant Flecken beständigkeit Résistance au tâches Resistencia a las manchas	-	Conforme Conform Gleichmässig Conforme	3	UNI EN ISO 10545-14
Resistenza ai prodotti chimici di uso domestico Resistance to chemicals for household use Beständigkeit gegen haushaltschemikalien Resistance aux produits d'usage domestique Resistencia a los productos químicos de uso doméstico	-	Conforme Conform Gleichmässig Conforme	B MIN	UNI EN ISO 10545-13



Uffici commerciali:  
Via Statale, n° 99/D  
42013 Dinazzano di Casalgrande - RE  
Tel. +39 0522 773.611  
Fax +39 0522 773.659/60  
[www.ceramichecerdisa.it](http://www.ceramichecerdisa.it)  
[marketing@cerdisa.biz](mailto:marketing@cerdisa.biz)