

TREND

TREND

Rivestimento in bicottura - Monoporosa B III EN 14411 / Double fired wall tiles - Monoporosa / Wandfliesen - Zweibrandverfahren - Monoporosa
Revêtement mural - Bicuïsson - Monoporosa / Revestimientos - Bicoccción - Monoporosa



TREND

25x42,5 - 10"x17"


Rivestimento in bicottura - Monoporosa B III EN 14411 / Double fired wall tiles - Monoporosa / Wandfliesen - Zweibrandverfahren - Monoporosa
 Revêtement mural - Bicuissson - Monoporosa / Revestimientos - Biccoción - Monoporosa



0060010 Grigio 25x42,5



0060011 List. Inciso Grigio 25x42,5




0060012 Mosaico Inciso Grigio 25x42,5


0060004 Matita Alluminio
1,5x42,5 - 3/4"x17"
6 pcs x box



0060000 Beige 25x42,5



0060001 List. Inciso Beige 25x42,5




0060002 Mosaico Inciso Beige 25x42,5

0060005 Matita Rosso
1x50 - 3/2"x17"
6 pcs x box



0060020 Cacao 25x42,5



0060021 List. Inciso Cacao 25x42,5



0060022 Mosaico Inciso Cacao 25x42,5

0060006 Matita Cacao
1x50 - 3/2"x17"
6 pcs x box



0060007 Listello Grigio/Rosso
5x42,5 - 2"x17"
6 pcs x box




0060008 Listello Beige/Cacao
5x42,5 - 2"x17"
6 pcs x box

PAVIMENTI COORDINATI 45X45 - 18"X18" / COORDINATED FLOOR TILES / KOORDINIERTE BODENFLIESEN / SOLS COORDONNÉS / PAVIMENTOS COORDINADOS


Gres porcellanato colorato in massa EN 14411 Bia / Colorbody porcelain stoneware / Dürghgefärbtes steinzeug / Grès cérame coloré dans le masse / Gres porcelánico coloreado en toda la masa




0077546 Grigio Chiaro



0077547 Grigio Azzurro



0077545 Beige



0077548 Bronzo

Imballi / Packing / Verpackungen / Emballages / Embalajes

Formato	Pezzi/Sc.	Mq/Sc	Sc/Pal	Mq/Pal	Kg/Sc	Kg/Pal
Size	Pcs/Box	Sq.M/Box	Box/Pal	Sq.M/Pal	Kg/Box	Kg/Pal
Größe	Pcs/Ctn	Mq/Ctn	Ctn/Pal	Mq/Pal	Kg/Ctn	Kg/Pal
Format	Stck/Kart	Qm/Kart	Kart/Pal	Qm/Pal	Kg/Kart	Kg/Pal
Tamaño	Piezas/Caja	Mq/Caja	Caja/Pal	Mq/Pal	Kg/Caja	Kg/Pal
25x42,5	8	0,85	66	56,1	15	990



CERDISAWHITE / WALL

Rivestimento in pasta bianca rettificato BIII EN 14411 / White clay wall tiles rectified / Weisscherbige wandfliesen kalibriert

Revêtement mural en pâte blanche rectifiée / Revestimientos en pasta blanca rectificado

Rivestimento in bicottura - Monoporosa B III EN 14411 / Double fired wall tiles - Monoporosa / Wandfliesen - Zweibrandverfahren - Monoporosa

Revêtement mural - Bicuison - Monoporosa / Revestimientos - Bicocción - Monoporosa

Caratteristica Features Características Eigenschaften Características	Unità di misura Unit of measurement Unité de mesure Masseinheit Unidad de medida	Valore medio Cerdisa Cerdisa mean value Valeur moyenne Cerdisa Durchschnitts-wert-Cerdisa Valor medio Cerdisa	Valore Prescritto Fixed value Valeur prescrite Vorgeschriebener wert Valor establecido	Metodo di prova Test method Méthode d'essai Prüfmethode Método de ensayo
Dimensione lati Dimensions-Lenght and widht Masse-Länge und Breite Dimensions-Longueur et largeur Dimensiones-Longitud y ancho	%	Conforme Conform Gleichmässig Conforme	+/- 0,5	UNI EN ISO 10545-2
Rettilineità dei lati Side straightness Geractlinigkeit der Kanten Rectitude des arêtes Rectilinedad de los lados	%	Conforme Conform Gleichmässig Conforme	+/- 0,3	UNI EN ISO 10545-2
Ortogonalità degli spigoli Corner squaranness Rechtwinkligkeit der Kanten Angularité Ortogonalidad de las esquinas	%	Conforme Conform Gleichmässig Conforme	+/- 0,5	UNI EN ISO 10545-2
Planarità Flatness Ebenflächigkeit Planéité Planeidad	%	Conforme Conform Gleichmässig Conforme	+/- 0,5	UNI EN ISO 10545-2
Spessore Thickness Dicke Epaisseur Grosor	%	Conforme Conform Gleichmässig Conforme	+/- 10%	UNI EN ISO 10545-2
Assorbimento d'acqua Water absorption Wasseraufnahme Absorption d'eau Absorción de agua	%	Conforme Conform Gleichmässig Conforme	> 10	UNI EN ISO 10545-3
Storzo di rottura Breaking strenght Bruchkraft Contrainte de rupture Esuerzo de rotura	N	Conforme Conform Gleichmässig Conforme	≥ 600 se sp ≥ 7,5 mm ≥ 200 se sp < 7,5 mm	UNI EN ISO 10545-4
Modulo di rottura Modulus of rupture Bruchmodul Coefficient de rupture Módulo de rotura	N/mm2	Conforme Conform Gleichmässig Conforme	≥ 15 se sp ≥ 7,5 mm ≥ 12 se sp < 7,5 mm	UNI EN ISO 10545-4
Resistenza al cavillo Crazing resistant Haarrisse Résistance aux tréssaillures Resistencia al quarteado	-	Resiste Resists Widerstandsfähig Résiste Resiste	Richiesta Request Onfrange Demande Solicitud	UNI EN ISO 10545-11
Resistenza alle macchie Stain resistant Flecken beständigkeit Résistance au tâches Resistencia a las manchas	-	Conforme Conform Gleichmässig Conforme	3MIN	UNI EN ISO 10545-14
Resistenza ai prodotti chimici di uso domestico Resistance to chemicals for household use Beständigkeit gegen haushaltschemikalien Resistance aux produits d'usage domestique Resistencia a los productos químicos de uso doméstico	-	Conforme Conform Gleichmässig Conforme	GB	UNI EN ISO 10545-13



Uffici commerciali:
Via Statale, n° 99/D
42013 Dinazzano di Casalgrande - RE
Tel. +39 0522 773.611
Fax +39 0522 773.659/60
www.ceramichecerdisa.it
marketing@cerdisa.biz